NOVO-TECH

SAFETY INSTRUCTIONS

HARZart

This product does not require a safety data sheet in accordance with Article 31 of REACH. This document is a voluntary product information of the manufacturer based on a safety data sheet in accordance with Regulation (EC) No 1907/2006.

SECTION 1: Identification of the substance/mixture and of the company

1.1. Product identifier:

1.2. Relevant identified uses of the substance or mixture and uses advised against:		
Material/substance type:	Polymer-bonded wood-based material	
Product designation:	German Compact Composite® GCC HARZart Brands: megawood®, EasyDeck®, torroTIMBER®	

Use:

Uses advised against:

Production of extruded profiles and injection moulded parts

No relevant information available

1.3. Details of the supplier of the safety data sheet:

Manufacturer:

NOVO-TECH GmbH & Co. KG Siemensstraße 31 • 06449 Aschersleben • Germany Phone: +49 (0) 3473 / 22503 - 0 Fax: +49 (0) 3473 / 22503 - 15 Email: info@novo-tech.de www.novo-tech.de

NOVO-TECH Circular GmbH & Co. KG Heinrich-Lapp-Straße 18 • 06449 Aschersleben • Germany Phone: +49 (0) 3473 / 22503 - 0 Fax: +49 (0) 3473 / 22503 - 15 Email: info@novo-tech.de www.novo-tech.de

Information area:

Quality assurance / laboratory Phone: +49 (0) 3473 / 22503 - 0 Fax: +49 (0) 3473 / 22503 - 15 Email: info@novo-tech.de

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture:

The product is not classified in accordance with Regulation (EC) No 1272/2008 (CLP Regulation).

Revised on: Revision:

20/03/2024





HARZart

Page 2 of 9

2.2. Label elements:

Label in accordance with (EC) No. 1272/2008: not applicable

Hazard icons:	not applicable
Signal word:	not applicable
Hazard warnings:	not applicable
Safety instructions:	not applicable

2.3. Other hazards:

No risks to health and the environment if the product is handled properly.

Results of PBT and vPvB assessment:

SECTION 3: Composition/information on ingredients

The product is a mixture and comprises following main ingredients:

Designation	CAS number	EC Number	REACH registration number	%	Classification in accordance with Regulation (EC) No: 1272/ 2008 (CLP)		
					Coding	Hazard	Coding
					Signal words	class	Hazard
							notices
Natural fibre	9004-34-6	232-674-9	-	50-70	-	-	-
	9034-32-6	618-530-1					
	9005-53-2	232-682-2					
HDPE	9002-88-4	215-540-4	-	10-20	-	-	-
Synthetic resin/ minerals	Various	various	-	5-30	-	-	-

not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures:

General information:	no special measures required.
Upon inhalation:	supply fresh air, consult a doctor in case of complaints.
Upon skin contact:	no special measures required.
Upon eye contact:	rinse opened eye with running water.
Upon ingestion:	indigestible; preferably induce vomiting

Safety instructions_ GCC HARZart

Created on: Revised on: Revision: 07/11/2022 20/03/2024 1



Page 3 of 9

SAFETY INSTRUCTIONS

GCCHARZart

4.2. Most important symptoms and effects, both acute and delayed:

There are no known acute and delayed symptoms and effects.

4.3. Indication of any immediate medical attention and special treatment needed:

No specific emergency measures or special treatments required.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:	water spray jet, foam, CO_2 , extinguishing powder
Unsuitable extinguishing media:	full water jet (could be used to spread fire)

5.2. Special hazards arising from the substance or mixture

Incomplete combustion releases carbon monoxide and possibly other hazardous substances, e.g., soot.

5.3. Advice for firefighters

Observe general safety regulations for firefighting.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures:

No special measures required.

6.2. Environmental precautions:

Do not allow chips that must be produced during processing (e.g., drilling, sawing, and planing chips) to enter the sewage system/surface water/groundwater (observe recommended disposal).

6.3. Methods and material for containment and cleaning up:

Picking up mechanically, e.g., sweeping or vacuuming, while avoiding dust formation.

6.4. Reference to other sections

See section 7 for information on safe handling.

See section 8 for information on personal protective equipment.

See section 13 for information on disposal.

SECTION 7: Handling and storage

7.1. Precautions to be taken in handling and storing

Notes on fire and explosion protection: no open fires

 Safety instructions_ GCC HARZart

 Created on:
 07/11/2022

 Revised on:
 20/03/2024

 Revision:
 1

NOVO-TECH GmbH & CO.KG · Siemensstraße 31 · DE-06449 Aschersleben · Phone +493473/22503-0 · info@novo-tech.de · www.novo-tech.de



GCC HARZart

Page 4 of 9

Handling:

To avoid electrostatic discharge, production and conveyor systems should be made of electrically conductive material and should be earthed. Avoid dust formation.

At thermal processing:

Extract vapours and/or ensure sufficient air exchange.

7.2. Conditions for safe storage, including any incompatibilities

Storage:	Keep away ignition sources - No smoking Protect from light and UV exposure Also applies to outer packaging made of film, this is not suitable for permanent outdoor storage.
Storage temperatures:	5 °C - 35 °C
Humidity	20 - 60% r.h.
Storage instructions:	Do not store together with self-igniting substances

7.3. Specific end uses

Observe the technical data sheet

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Avoid the formation of dust, ensuring adequate ventilation or sufficient respiratory protection if the occupational exposure limit value in accordance with TRGS is exceeded.

8.2. Exposure controls:

Occupational exposure limit for (wood) dust in accordance with TRGS.

8.2.1. Appropriate engineering controls:

Avoid the formation of dust, use closed systems if possible, workplace measurements ensure adequate ventilation or sufficient respiratory protection if the occupational exposure limit value in accordance with TRGS is exceeded.

8.2.2. Individual protection measures, such as personal protective equipment:

General protective and hygiene measures:	Wash hands before breaks and at the end of work, do not eat, drink, smoke, or take snuff at work, ensure sufficient ventilation during processing.
Respiratory protection:	recommended for mechanical processing with dust formation
Hand protection:	recommended for thermal processing
Eye/face protection:	recommended for mechanical processing
Body protection:	protective work clothing

Safety instructions_ GCC HARZart

07/11/2022

20/03/2024

Created on: Revised on: Revision:



GCCHARZant

8.2.3. Environmental exposure controls:

Avoid dust formation during handling, mass concentration of dust emissions of 10 mg/ $\rm m^3$ must not be exceeded.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties:

Appearance:wood-polymer lookColours:brown, black, colouredOdour:woodyMelting temperature:130 - 140 °CBoiling temperature (1013 hPa):not applicableFlash point:not applicableIgnition temperature:approx. 420 °C (DIN 51 795)Flammability:yespH value:4.5 - 6.5 (100 g/l, H20 and 20 °C)Vapour pressure (20 °C):not applicableDensity (20 °C):insolubleSolubility in water (20 °C) :insolublePL other informationThe product is not explosive.	Physical state:	solid
Odour:woodyMelting temperature:130 - 140 °CBoiling temperature (1013 hPa):not applicableFlash point:not applicableIgnition temperature:approx. 420 °C (DIN 51 795)Flammability:yesPH value:4.5 - 6.5 (100 g/l, H20 and 20 °C)Vapour pressure (20 °C):not applicableDensity (20 °C):1.30 - 1.40 g/ cm³Solubility in water (20 °C):insoluble 9.2. Other information Hondow	Appearance:	wood-polymer look
Melting temperature:130 - 140 °CBoiling temperature (1013 hPa):not applicableFlash point:not applicableIgnition temperature:approx. 420 °C (DIN 51 795)Flammability:yespH value:4.5 - 6.5 (100 g/l, H20 and 20 °C)Vapour pressure (20 °C):not applicableDensity (20 °C):1.30 - 1.40 g/ cm³Solubility in water (20 °C) :insoluble9.2. Other information1.30 - 1.40 g/ cm³	Colours:	brown, black, coloured
Boiling temperature (1013 hPa):not applicableFlash point:not applicableIgnition temperature:approx. 420 °C (DIN 51 795)Flammability:yespH value:4.5 - 6.5 (100 g/l, H2O and 20 °C)Vapour pressure (20 °C):not applicableDensity (20 °C):1.30 - 1.40 g/ cm³Solubility in water (20 °C) :insoluble9.2. Other information	Odour:	woody
Flash point:not applicableIgnition temperature:approx. 420 °C (DIN 51 795)Flammability:yespH value:4.5 - 6.5 (100 g/l, H2O and 20 °C)Vapour pressure (20 °C):not applicableDensity (20 °C):1.30 - 1.40 g/ cm³Solubility in water (20 °C) :insoluble9.2. Other informationJan State Sta	Melting temperature:	130 - 140 °C
Ignition temperature:approx. 420 °C (DIN 51 795)Flammability:yespH value:4.5 - 6.5 (100 g/l, H2O and 20 °C)Vapour pressure (20 °C):not applicableDensity (20 °C):1.30 - 1.40 g/ cm³Solubility in water (20 °C) :insoluble9.2. Other informationJanuary 100 - 100	Boiling temperature (1013 hPa):	not applicable
Flammability:yespH value:4.5 - 6.5 (100 g/l, H2O and 20 °C)Vapour pressure (20 °C):not applicableDensity (20 °C):1.30 - 1.40 g/ cm³Solubility in water (20 °C) :insoluble9.2. Other information	Flash point:	not applicable
pH value:4.5 - 6.5 (100 g/l, H2O and 20 °C)Vapour pressure (20 °C):not applicableDensity (20 °C):1.30 - 1.40 g/ cm³Solubility in water (20 °C) :insoluble9.2. Other information	Ignition temperature:	approx. 420 °C (DIN 51 795)
Vapour pressure (20 °C):not applicableDensity (20 °C):1.30 - 1.40 g/ cm³Solubility in water (20 °C) :insoluble9.2. Other informationImage: Soluble state	Flammability:	yes
Density (20 °C):1.30 - 1.40 g/ cm³Solubility in water (20 °C) :insoluble9.2. Other information	pH value:	4.5 - 6.5 (100 g/l, H2O and 20 °C)
Solubility in water (20 °C) :insoluble9.2. Other information	Vapour pressure (20 °C):	not applicable
9.2. Other information	Density (20 °C):	1.30 - 1.40 g/ cm³
	Solubility in water (20 $^\circ$ C) :	insoluble
Explosive properties: The product is not explosive.	9.2. Other information	
Dusts can form explosive mixtures with air.	Explosive properties:	
Solvent content: Contains no solvents, VOC/SVOC see sustainability data sheet	Solvent content:	
Solids content: > 99%	Solids content:	> 99%

SECTION 10: Stability and reactivity

10.1. Reactivity

No relevant reactivities known.

10.2. Chemical stability

Stable if recommended storage and handling instructions are followed.

Start of thermal decomposition at approx. 180 °C.

07/11/2022

20/03/2024

Safety instructions_ GCC HARZart

Created on: Revised on: Revision: Page 5 of 9



HARZart

No decomposition if used as intended.

10.3. Possibility of hazardous reactions

No dangerous reactions known.

10.4. Conditions to avoid

Do not heat in uncontrolled manners.

10.5. Materials to avoid:

No relevant incompatible materials known.

10.6. Hazardous decomposition products:

Incomplete combustion releases carbon monoxide and possibly other hazardous substances, e.g., soot.

SECTION 11: Toxicological properties

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The product is not classified in accordance with Regulation (EC) No 1272/2008 (CLP Regulation); see sustainability datasheet for GCC HARZart on this as well.

11.2. Information on other hazards:

No risks to health and the environment if the product is handled properly.

SECTION 12: Ecological information

12.1. Toxicity:

Not relevant, see also sustainability data sheet for GCC HARZart.

12.2. Persistence and degradability:

The product is not biodegradable.

12.3. Bioaccumulation potential:

No indication of bioaccumulation potential.

12.4. Mobility in soil:

No indication of mobility in soil.

12.5. Results of PBT and vPvB assessment:

The product does not contain any ingredients that meet the PBT/vPvB criteria in accordance with REACH.

12.6. Endocrine disrupting properties:

The product does not contain any ingredients with endocrine disrupting properties.

Safety instructions_ C	SCC HARZart
Created on:	07/11/2022
Revised on:	20/03/2024
Revision:	1

Page 6 of 9



"HARZart

12.7. Other adverse effects:

No harmful effects if the product is handled properly.

SECTION 13: Disposal consideration

13.1. Waste treatment methods:

13.1.1. Information on the disposal of the product:

"Today's product is tomorrow's raw material."

GCC HARZart is a valuable raw material that we use to manufacture new products. Please return laying waste, cuttings, and products at the end of their service lives to one of our take-back dealers for recycling at our processing plant (www.megawood.com/haendler) or register your object at www.megawood.com/c2c. This avoids waste, CO2 emissions, and preserves natural resources!

Small quantities of processing residues (drilling, sawing, and planing chips) may be disposed of in the household waste. Do not allow to enter drains/surface water/groundwater.

Recommendation:

European Waste List	
03 01 05	sawdust, shavings, cuttings, wood, particle board and veneer other than those mentioned in 03 01 04

13.1.2. Information on disposal of the packaging:

Dispose of cleaned packaging in the local recycling system.

13.1.3. Physical/chemical properties may influence the possible waste treatment processes:

The product is designed for the technical cycle and is used to manufacture new products. Contamination with harmful substances, e.g. through treatment with wood preservatives containing harmful substances, must be avoided under all circumstances for high-quality recycling.

13.1.4. Disposal in sewage:

Do not dispose of the product in sewage.

13.1.5. Special precautions for recommended waste treatment:

See section 7 for information on safe handling.

No further special precautions necessary.

Created on: Revised on: Revision: 07/11/2022 20/03/2024 1 Page 7 of 9



Page 8 of 9

SAFETY INSTRUCTIONS

HARZart

SECTION 14: Transport information

14.1. UN number or ID number:

Not relevant, the product is not a dangerous good in accordance with the transportation regulations.

14.2. UN proper shipping name:

Not relevant, the product is not a dangerous good in accordance with the transportation regulations.

14.3. Transport hazard classes:

Not relevant, the product is not a dangerous good in accordance with the transportation regulations.

14.4. Packing group:

Not relevant

14.5. Environmental hazards:

None, respectively no

14.6. Special precautions for user:

None

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code:

Not relevant

SECTION 15: Regulation information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Technical Rules for Hazardous Substances (TRGS) applicable to wood-based materials and the regulations of the German Social Accident Insurance (DGUV) must be observed during processing.

Water hazard class:

nwg - not hazardous to water Self-classification in accordance with Annex 1 AwSV

15.2. Chemical safety assessment

The product is exempt from REACH registration. A chemical safety assessment is not required.

 Created on:
 07/11/2022

 Revised on:
 20/03/2024

 Revision:
 1



GCC HARZart

SECTION 16: Other information

Further information

These safety instructions apply to:	all products in the GCC HARZart formulation
Date of the previous version:	07/11/2022
Revised on:	20/03/2024
Revision:	1

The information is based on our current state of knowledge, but does not constitute a guarantee The information provided does not constitute a guarantee of product characteristics and does not establish a contractual legal relationship.

Abbreviations and acronyms:

- VOC: Volatile Organic Compounds (USA, EU)
- SVOC: Semi Volatile Organic Compounds
- PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Page 9 of 9